



View Notice Details

Notice Type CCO Critical
Notice Identifier 11274
Notice Name CCO - 10:20 27/10/11 - Direction to Revise Demand Curtailment
Published 27/10/2011 10:16
Begin Date & Time 27/10/2011 10:13
End Date & Time 16/11/2011 23:59
Notice Period 20
Required Response Action Required
Indicator

Detail 27/10/2011
[refer to notice 11273]

2. Event causing critical contingency

A material gas escape has been detected close to the Maui pipeline. The escape is located at the start of the White Cliffs Walkway near to the end of Pukeruahe Road in North Taranaki. Vector (acting as MDL Technical Operator) has now closed the Pukeruahe Main Line Valve on the Maui pipeline in preparation to make the site of the gas escape safe to facilitate further investigation. The MDL pipeline north of Mokau Compressor Station is isolated from production supplies in Taranaki. The Vector 200line is being utilised to supply the affected areas of the system.

3. Areas of transmission system affected

The Maui pipeline to the north of Mokau Compressor Station.
All Vector pipelines to the north of Kapuni Gas Processing Plant.

4. Summary of actions being taken to resolve event

Vector is continuing with detailed inspection of the pipeline and assessing repair options. The duration of the isolation will depend on the findings of the pipeline inspection.

Notes:

- (a) This notice supersedes all previous notices. It includes all demand previously directed for curtailment and all additional demands that now require curtailment.
- (b) All directions issued by the CCO pursuant to the declaration of the Critical Contingency must be complied with.
- (c) Retailers and Large Consumers must follow directions given by TSOs to curtail demand in accordance with Regulation 55(1) and provide TSOs with regular updates of compliance in accordance with Regulation 55(2).
- (d) The communications described in the CCO Communication Plan and TSOs CCMPs continue to be activated.
- (e) The communication of this notice by email is recorded on the CCO computer system and the notice is considered received by this record. The date and time of this notice is that time stamped by the CCO computer system. It is not required to reply to or acknowledge this email notice.
- (f) This notice will be communicated by a truncated SMS message.
- (g) This notice will be published on the CCO internet site in the public domain. Refer to <https://www.oatis.co.nz>
- (h) The CCO will notify the TSOs by telephone of this notice.
Sent by the Critical Contingency Operator